



Bearing No	Dimensions(mm)				Load Rating(KN)			Weight (kg)
	d	D	B	rmin	r1min	Dynamic Cr	Static Cor	
6300	10	35	11	0.6	0.5	7.65	3.47	0.053
6310 6302	12 15	37 42	12	1	0.5	9.72	5.09	0.057
/	/	/	13	1	0.5	11.44	5.43	0.081
6303	17	47	14	1	0.5	13.58	6.58	0.109
6304	20	52	15	1.1	0.5	15.94	7.88	0.142
63/22	22	56	16	1.1	0.5	18.39	9.24	0.184
6305	25	62	17	1.1	0.5	22.38	11.49	0.219
63/28	28	68	18	1.1	0.5	24.99	13.88	0.284
6306	30	72	19	1.1 0.5	/	27	15.19	0.35
63/32	32	75	20	1.1 0.5	/	29.8	16.9	0.382
6307	35	80	21	1.5 0.5	/	33.36	19.21	0.454
6308	40	90	23	1.5	0.5	40.75	24.01	0.639
6309	45	100	25	1.5	0.5	52.86	31.83	0.836
6310	50 55	110	27	2	0.5	61.86	37.94	1.082
6311	/	120	29	2	0.5	71.57	44.76	1.368
6312	60	130	31	2.1	0.5	81.75	51.85	1.71
6313	65	140	33	2.1	0.5	93.87	60.44	2.097
6314	70	150	35	2.1	0.5	104.13	68.04	2.543
6315	75	160	37	2.1	0.5	113.42	76.8	3.046
6316	80	170	39	2.1	0.5	122.94	86.5	3.609
6317	85	180	41	3	0.5	132.67	96.58	4.284



Deep groove ball bearings 6300 series

6318	90	190	43	3	0.5	144.05	108.49	4.979
6319	95	200	45	3	0.5	156.66	121.98	5.74
6320 100	/	215	3	/	0.5	172.98	140.39	7.09